

Assa Abloy - Authoring Guide

Component - Search Result



Version #	Contributor	Date	Description	Reviewed By
0.1	Manish Gupta	28 Sep 2021	Initial version	
1.0	Rajen Upreti	04 Jan 2022	Reviewed and updated	

Table of Contents

1	Overview	. 4
2	Business Use Case	. 4
3	Design	. 4
4	Authoring Steps	. 4
5	User Interface	. 6

100

🕥 nagarro

Component: Search Result

1 Overview

Search Result component is used to display all the results for the term that user had entered in the Global Search bar in the header with option to sort them.

2 Business Use Case

Search Result component enable users to view all the search results on a single page in a controlled manner with features like sorting and pagination.

3 Design

The Search result component is created such that it can be configured as a page in AEM with 'Search Result' template. The component is rendered on the page. The search query is passed to this component from the query appended to the URL when the user clicks on the View All button in the Global Search component. The results are shown in card view or list view and can be sorted using the dropdown available on the top right corner of the page.

4 Authoring Steps

Step 1: In AEM, at a desired location, create a new page with 'Search Result Page' template.





Step 2: On successful creation of the page, click on the wrench icon of the Search Result component for configure it

Step 3: In the configuration dialog, fill in the Brand Id, select of pagination is to be enabled, enter the page size and add the sort options.

Record 470			-
elobal			0
Server			
Enable the pagination on the search result page.			
Page Size *			0
C 10			
Sort Options			
Sort Code *	0	W	
score desc			
Display Name *	0		
Recent First			
Add			

- Step 4: Click on done
- Step 5: All the configurable options for the Search Result component are as below

S. No	Field Title	Field Type	Field Description	Mandatory (Yes/No)	Validation/Rem arks (If any)
1.	Brand Id	Input	Brand Id of the site	No	
2.	Enable the pagination on the search results page	Checkbox	To limit the number the results shown at once on the screen	No	Default value - Checked
3.	Page size	Number Field	Number of results to be shown on page	Yes	Default value – 12
4.	Sort options	Input fields	Sort options to be shown to user on the search results page. Needs to match that in the Solr application.	Yes	

100



5 User Interface

The search result component will be rendered as below. The user will be able to sort the results and view them in grid view or the list view

Grid view



If pagination enabled, user will be able to load further results by clicking on the Load More button located right below the results.

7800 Series Electric Strike The 7800 Dectric Strike is designed for use with Adams Bitz rkm oxit devices with a Starwheel/Interfaciling Latchbot 18800	7200 Series Fire-Rated Electric Strikes Electric Strikes 700 Series Frieduted Idente United are designed for cylonical lockers with up to core activation and an enter strike are	74R1, 74R2 Electric Strikes Pretoad capable 74R1 Dectric Sories are designed for non-exit devices with 3/4* Pullman latificate in auminum. hollow	
Where To Buy	Where To Day	Where To Sky	



d

Employment